

## **SERIES 110**

### 1-1/2" x 1-1/4" End Suction Centrifugal Pump

The SERIES 110 high volume centrifugal pumps are close-coupled to standard NEMA "C" face motors. Open adaptor protects motor. All models are available in cast iron, bronze or aluminum construction to suit a wide variety of liquids.

All fasteners are stainless steel to reduce corrosion. Impellers are balanced to improve efficiency and bearing life.

Standard carbon / ceramic / Viton mechanical seal is self-adjusting and corrosion resistant to handle almost any liquid.

Completely tested "Wet End" PumPAKs are available with or without motors and can be mounted to standard "C" frame motors in just minutes.



#### **Application**

- Agricultural
- Commercial
- Industrial
- OEM

#### **SPECIFICATIONS:**

Suction And Discharge 1-1/2" x 1-1/4" NPT

Materials Of Construction Bronze, Cast iron

Flow Up to 130 GPM

Head Feet Up to 60'
Impeller 4" semi-open
Motor Up to 2 HP

Drive Options Close coupled 56C, Close coupled 145TC,

PumPAK® (without motor)


Seal Special seal material combinations

available (consult factory), Standard

carbon / ceramic / Viton


Max Solid Size .32"


#### **SERIES 110**





### SERIES 110






#### **ELECTRIC MOTOR DRIVEN**

# SERIES 110 STRAIGHT CENTRIFUGAL PUMPAKS

with mechanical seal-for "C" face motors



IMPORTANT: When ordering parts, specify model and serial number shown on nameplate.

ITEM NO.	PART NO.	DESCRIPTION	QUANTITY REQUIRED PER MODEL			
			ROTATION PIPE SIZE METAL	ALL MODELS LISTED ARE RIGHT HAND		
				1%" x 1%" CAST IRON	1%" x 1%" ALUMINUM	1½" x 1¼" BRONZE
	22922	Housing Assembly — Inc:		1		
3	21134	Housing Cast Iron		1		
4	21243	Stud — S.S. — 5/16"		6		
6	21255	Pipe Plug — S.S. — 1/8° NPT		2		
	24240	Housing Assembly — Inc:			11	
3		Housing — Aluminum			1	
4	21243	Stud — S.S. — 5/16"			6	
6	21255	Pipe Plug — S.S. — 1/8" NPT			1	
5	21244	Hex Nut — S.S. — 5/16"		6	6	
18	21236	Lockwasher — S.S. — 5/16"		6	6	
	22921	Housing Assembly Inc.				1
3		Housing — Bronze				1
4	21150	Stud — Br. — 5/16"				6
6	21185	Pipe Plug — Bronze — 1/8" NPT				1
5	21179	Hex Nut Br 5/16"				6
18	21184	Washer — Br.				6
1	21149	Gasket		1	1	1



SERVICE PARTS LIST Form 7045A



ITEM NO.	PART NO.	DESCRIPTION	QUANTITY REQUIRED PER MODEL			
			ROTATION PIPE SIZE METAL	ALL MODELS LISTED ARE RIGHT HAND		
				1%" x 1%"  CAST IRON	1%" x 1%" ALUMINUM	1%" x 1%" BRONZE
10	24542	Impeller — 4" Dia. — C.I. Style "A"		1		
10	25021	Impeller — 3.9" Dia. — C.I. Style "B"		1		
10	24691	Impeller — 3.38" Dia. — C.I. Style "A"		1		
10	24692	Impeller — 3.12" Dia. — C.I. Style "A"		1		
10	24693	Impeller — 2.87" Dia. — C.I. Style "A"		1		
10	Consult Factory	Impeller — Aluminum			1	
10	24742	Impeller — 4" Dia. — Bronze Style "A"				11
10	25200	Impeller — 3.9" Dia. — Bronze Style "B"				1
10	24731	Impeller — 3.38" Dia. — Bronze Style "A"				1
10	24732	Impeller — 3.12" Dia. — Bronze Style "A"				1
10	24733	Impeller — 2.87" Dia. — Bronze Style "A"				1
15	22677	Drive Sleeve, 7/8" Dia. Stainless Steel		1	1	1
15	22676	Drive Sleeve, 5/8" Dia. Stainless Steel		1	1	1
2	21163	Impeller Drive Key — S.S. — #6		1	1	1
9 9	22621 22629	Impeller Locknut — S.S. — 1/2" Impeller Locknut — Br. — 1/2"		1	1	1
EAL						
7	22272	Seal Assembly Inc:		1	1	1
11	22133	Seal Spring Retainer		1	i	1
LAMP				100000		*
	23002	Clamp Assembly for 5/8" Sleeve		1	1	1
8	st.	Clamp		2	2	2
16	21264	Capscrew — \$.\$. — 5/16"		2	2	2
17	21284	Hex Nut — S.S. — 5/16"		2	2	2
18	21238	Lockwasher — S.S. — 5/16"		2	2	2
10	23003	Clamp Assembly for 7/8" Sleeve		1	1	1
8	23003	Clamp		2	2	2
	04004	The state of the s		2	2	2
16	21264	Capscrew — S.S. — 5/16"				
17	21284	Hex Nut — S.S. — 5/16"		2	2	2
18	21238	Lockwasher — S.S. — 5/16"	<u> </u>	2	2	2
DAPTOR						
14	22671	Adaptor — Cast Iron		1		
14	22669	Adaptor — Aluminum			1	
14	22670	Adaptor — Bronze				1
12	21251	Capscrew — S.S. — 3/8"		4	4	4
13	21266	Lockwasher — S.S. — 3/8"		4	4	0.000

Litho in U.S.A.

Form 7045A

